

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claims 1 to 6 (canceled).

Claim 7 (currently amended): A communication system having a plurality of first communication apparatuses, each of the plurality of first communication apparatuses comprising:

first communication means for executing a communication between each first communication apparatus and ~~an other a second~~ communication apparatus by a first communication protocol; ~~wherein each communication apparatus can act as an initiator of a communication by a first communication protocol and a target of a communication by a first communication protocol;~~

acquisition means for acquiring identification information formed by a random number of the second communication apparatus;

exchange means for exchanging communication information necessary to a communication executed by a second communication protocol included in a communication protocol available by the ~~other second~~ communication apparatus between the communication apparatus and the ~~other second~~ communication apparatus by the communication executed by the first communication protocol;

switching means for switching the communication between each first communication apparatus and the ~~other second~~ communication apparatus from the communication executed by the first communication protocol to the communication executed by the second communication protocol; and

second communication means for executing the communication by the second communication protocol between each communication apparatus and the ~~other second~~ communication apparatus based on the communication information exchanged by the exchange means.

Claim 8 (currently amended): A communication apparatus ~~for executing a communication between the communication apparatus and other~~communication apparatus, comprising:

first communication means for executing a communication between the communication apparatus and ~~the other~~another communication apparatus by a first communication protocol;

acquisition means for acquiring identification information formed by a random number of the ~~other~~another communication apparatus by the communication executed by the first communication protocol before acquiring protocol information of a communication protocol available by the ~~other~~another communication apparatus through the communication executed by the first communication protocol;

exchange means for exchanging communication information necessary to a communication executed using a second communication protocol included in the communication protocol available by the ~~other~~another communication apparatus between each communication apparatus and the ~~other~~another communication apparatus by the communication executed using the first communication protocol;

switching means for switching the communication between the communication apparatus and the ~~other~~another communication apparatus from the communication executed by the first communication protocol to the communication executed using the second communication protocol; and

second communication means for executing the communication by the second communication protocol between the communication apparatus and the ~~other~~another communication apparatus based on the communication information exchanged by the exchange means.

Claim 9 (currently amended): ~~The A~~-communication apparatus of according to-claim 8, wherein the communication executed by the first and second communication protocols is a wireless communication, and, when the ~~other~~another communication apparatus is located in the vicinity of the communication apparatus, the first communication means executes the communication by the first communication protocol between the communication apparatus and the ~~other~~another communication apparatus.

Claim 10 (currently amended): ~~The A~~-communication apparatus ~~of according to claim 9,~~ wherein, in the first communication protocol, the communication is executed by specifying the ~~etheranother~~ communication apparatus located in the vicinity of the communication apparatus.

Claim 11 (currently amended): A method of executing a communication between a communication apparatus and ~~an-other-another~~ communication apparatus, the method comprising:

executing a communication between the communication apparatus and the ~~etheranother~~ communication apparatus by a first communication protocol;

acquiring identification information formed by a random number of the ~~etheranother~~ communication apparatus by the communication executed by the first communication protocol before acquiring information of a communication protocol available by the ~~etheranother~~ communication apparatus by the communication executed by the first communication protocol;

exchanging communication information necessary to a communication executed by a second communication protocol included in the communication protocols available by the ~~etheranother~~ communication apparatus between the communication apparatus and the ~~etheranother~~ communication apparatus by the communication executed by the first communication protocol;

switching the communication between the communication apparatus and the ~~etheranother~~ communication apparatus from the communication executed by the first communication protocol to the communication executed by the second communication protocol; and

executing the communication by the second communication protocol between the communication apparatus and the ~~etheranother~~ communication apparatus based on the communication information exchanged.

Claim 12 (currently amended): A computer program product stored on a computer-readable medium including executable instructions that when executed by a processor performs steps for processing a communication between a communication apparatus and ~~etheranother~~ communication apparatus, said steps comprising:

a first communication step of executing a communication between the communication apparatus and the ~~etheranother~~ communication apparatus by a first communication protocol;

an acquisition step of acquiring identification information formed by a random number of the ~~etheranother~~ communication apparatus by the communication executed by the first communication protocol before acquiring information of a communication protocol available by the ~~etheranother~~ communication apparatus by the communication executed by the first communication protocol;

an exchange step of exchanging communication information necessary to a communication executed by a second communication protocol included in the communication protocols available by the ~~etheranother~~ communication apparatus between the communication apparatus and the ~~etheranother~~ communication apparatus by the communication executed by the first communication protocol;

a switching step of switching the communication between the communication apparatus and the ~~etheranother~~ communication apparatus from the communication executed by the first communication protocol to the communication executed by the second communication protocol;  
and

a second communication step of executing the communication by the second communication protocol between the communication apparatus and the ~~etheranother~~ communication apparatus based on the communication information exchanged at the exchange step.

Claim 13 (currently amended): A communication apparatus for executing a communication between the communication apparatus and a second communication apparatus, the communication apparatus comprising:

a logical layer communication unit that executes a wireless communication between the communication apparatus and the second communication apparatus using a logical communication protocol;

a first communication unit that executes a wireless communication between the communication apparatus and the second communication apparatus using a first communication protocol;

a second communication unit that executes a wireless communication between the communication apparatus and the second communication apparatus using a second communication protocol, wherein the first communication protocol and the second communication protocol are a lower layer protocol to the logical communication protocol;

an acquisition unit that acquires identification information formed by a random number from the second communication apparatus used to execute the wireless communication using the first communication protocol before acquiring information that the second communication protocol is available for use by the ~~other second~~ communication apparatus, and further acquiring setting information used to establish the wireless communication using the second communication protocol, through the communication using the first communication protocol, wherein the setting information is necessary to execute the wireless communication by the second communication protocol; and

a control unit that controls to establish the wireless communication using the second communication protocol based on the acquired setting information and terminates the wireless communication using the first communication protocol.

Claim 14 (currently amended): ~~The A-communication apparatus of according to claim~~ 13, wherein the first communication protocol is NFCIP-1.

Claim 15 (currently amended): ~~The A-communication apparatus of according to claim~~ 13, wherein the acquisition unit repeatedly executes polling for requesting identification information until a response is received.

Claim 16 (currently amended): ~~The A-communication apparatus of according to claim~~ 13, wherein a transaction ID and a transaction key are exchanged with the second communication apparatus for mutual authentication, through the communication using the first communication protocol, wherein mutual authentication occurs after acquiring the identification information and before acquiring the setting information.

Claim 17 (currently amended): ~~The A-communication apparatus of according to claim~~  
13, wherein the communication apparatus is a first mobile apparatus and the second  
communication apparatus is a second mobile apparatus.